

KA 1030

Vertical Reinforcement Steel Screwdriver




Kaban Makina Sanayi ve Tic. Ltd. Şti.


Hadımköy Atatürk Sanayi Bölgesi, Ömerli Mahallesi, 75.Yıl Caddesi, Uzunçayır Sokak, No:12, P.K. 34555 Arnavutköy İstanbul

www.kaban.com.tr


KA 1030 Vertical Reinforcement Steel Screwdriver



- Robust mechanical structure suitable for high speed
- Adjustable screwing place and force
- Automatic screw feeding unit
- Right and left profile support tables
- Adjustable table system for processing different profiles
- Pedal controlled operation



KA 1030 Vertical Reinforcement Steel Screwdriver



Design

- Mechanical structure capable of screwing profiles with reinforcement steel in high quality
- Adjustable screwing place and force
- Automatic screw feeding unit
- Right and left profile support tables
- Adjustable table system for processing different profiles
- Pedal controlled operation

Automatic Screw Feed

- Automatic screw feeding.



Safety

- Security labels
-

KA 1030 Vertical Reinforcement Steel Screwdriver

Machine Features	Machinable Profile Size	Height	120	mm
	Machinable Profile Size	Width	120	mm
	Available Screw Sizes	Screw Diameter	3,9 / 4,2	mm
	Available Screw Sizes	Countersink Diameter	6,5 / 7,5	mm
	Available Screw Sizes	Length	15 / 40	mm
	Machinable Profile Size	Thickness	3	mm
Technical Specifications	Air	Pressure	6-8	bar
	Air	Total Air Consumption	250	l/min
	Weight	Net	146	kg
	Weight	Gross	166	kg
	Sound	Level	96	dB
	Machine Dimensions	Length	3326	mm
	Machine Dimensions	Width	594	mm
	Machine Dimensions	Height	1953	mm
	Torque	Maximum	4,5	Nm
	Torque	Minimum	0,5	Nm
	Air Engine	Rotation Speed	1700	rpm